

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	7	"779442".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 09:29
S3	2	"7068667".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 09:33
S4	2	"6574663".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 11:59
S5	31	("4644532" "5049873" "5442791" "5583991" "5586267" "5729685" "5841972" "5850397" "5884036" "6185612" "6226788" "6243746" "6286038" "6330600" "6347398" "6397381").PN. OR ("6574663").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/18 12:02
S6	157	("20010010692" "20010030968" "20020028656" "20020029287" "20020031131" "20020049778" "20020049875" "20020049878" "20020071450" "20020073257" "20020124117" "20020124148" "20020141424" "20020154635" "20020159385" "20020159389" "20020159437" "20020159446" "20020159451" "20020159453" "20020159456" "20020159458" "20020159468" "20020161887" "20020161923"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/18 13:22

"20020163889"	
"20020167902"	
"20020167950"	
"20020172195"	
"20020184392"	
"20020184529"	
"20020188754"	
"20020191599"	
"20030189927"	
"20030202535"	
"20030202536"	
"20030204618"	
"20030210685"	
"20030215231"	
"20040004966"	
"4777595"	"4872160"
"5247516"	
"5303233"	"5327426"
"5327552"	
"5339318"	"5343473"
"5412653"	
"5432783"	"5440547"
"5548639"	
"5550816"	"5590119"
"5675579"	
"5675807"	"5680402"
"5689505"	
"5689506"	"5689689"
"5734719"	
"5751932"	"5751955"
"5774067"	
"5790546"	"5790776"
"5805804"	
"5809025"	"5818842"
"5838894"	
"5867501"	"5872783"
"5881246"	
"5892766"	"5892923"
"5898830"	
"5914953"	"5917820"
"5940596"	
"5943339"	"5953338"
"5964835"	
"5999531"	"6021263"
"6021495"	
"6028863"	"6032205"
"6034956"	
"6041049"	"6047323"
"6078963"	
"6085238"	"6094712"
"6104700"	
"6108708"	"6147976"
"6151316"	
"6151689"	"6157967"
"6169742"	
"6172991"	"6195335"
"6215412"	

		"6216173" "6216200" "6219706" "6262976" "6278714" "6292488" "6292839" "6301252").PN. OR ("6304549" "6381242" "6381244" "6385197" "6396815" "6400730" "6411806" "6430626" "6460088" "6493347" "6510151" "6535518" "6542739" "6556547" "6563831" "6578122" "6591310" "6594329" "6594712" "6597691" "6601148" "6608819" "6611883" "6614758" "6622193" "6636516" "6650646" "6651099" "6697379" "6704831" "6707800" "6760775" "6775719" "6810428" "6831916" "6847613" "6859867" "6895006" "6914911" "6917614" "6917987" "6938169" "6944152" "6948004" "6990528").PN. OR ("7068667").URPN.				
S7	2	"5408618".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:14
S8	46	("5408618").URPN.	USPAT	OR	OFF	2008/08/18 14:14
S9	178254	(established existing confirmed identified provided settled validated) near3 (path \$1 link\$1 connection\$1 rout\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:24
S10	16089	topolog\$3 and quer\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:25

S11	4937	S9 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:25
S12	138645	(rout\$3 connection\$1 look\$1up lookup link\$3) adj2 table\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:29
S13	2046	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:29
S14	2492070	(topolog\$3 configuration \$1 link\$1state (link adj state\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:30
S15	252385	(topolog\$3 configuration \$1 link\$1state (link adj state\$1)) near3 (information\$1 configuration data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:31
S16	252385	S14 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:31
S17	136090	quer\$3 and respon\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:32
S18	26639	S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:32
S19	2572	S11 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:32
S20	2125	370/254.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:47
S21	1955	370/255	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:47
S22	517	370/255.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:47

S23	395	370/256.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:47
S24	183	370/257.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:47
S25	255	370/258.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:47
S26	845	370/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:47
S27	4567	370/252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:47
S28	1122	370/242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:47
S29	294	370/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:47
S30	343	370/395.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:47
S31	386	370/395.31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:48
S32	3327	709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:48
S33	1453	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:48
S34	993	709/222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:48
S35	7668	709/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:48

S36	7808	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:48
S37	3475	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:48
S38	3295	S20 S22 S23 S24 S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:48
S39	122	S38 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 14:48
S40	18	("20020143798" "5005122" "5875290" "6040834" "6122664" "6373838" "7039732" "7089449" "7197664").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 15:04
S41	1993	((established existing confirmed identified provided settled validated) near3 (path \$1 link\$1 connection\$1 rout\$4)) with (map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 15:06
S44	546	S15 and S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 15:24
S52	1797	((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1)) with (map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 15:57
S53	192142	(topolog\$3 configuration \$1 link\$1state (link adj state\$1)) near2 (information\$1 configuration\$1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 15:58
S56	11683	(topolog\$3) near2 (information\$1 configuration\$1 data discover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 15:59

S61	1753	((topolog\$3 configuration\$1 link \$1state (link adj state \$1)) near2 (information \$1 configuration\$1 data)) same ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 07:51
S62	2127	370/254.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 07:52
S63	519	370/255.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 07:52
S64	395	370/256.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 07:52
S65	183	370/257.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 07:52
S66	255	370/258.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 07:52
S67	3299	S62 S63 S64 S65 S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 07:52
S68	114	S67 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 07:52
S69	114	((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1)) and S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 07:56
S70	11	quer\$4 with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1)) with along	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 08:41
S71	1098	quer\$4 with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 08:54

S72	21	S67 and S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 08:54
S73	2	"20010002927"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 09:08
S74	1847	select\$3 with (node\$1 ne element\$1 router\$1 switch\$2) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 09:57
S75	1888	(choos\$3 select\$3) with (node\$1 ne element\$1 router\$1 switch\$2) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 09:58
S76	78	S75 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 09:58
S77	270	((select\$3 choos\$3) with (node\$1 ne element\$1 router\$1 switch\$3)) same ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 10:19
S78	20	S67 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 10:20
S79	846	370/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 10:32
S80	7682	709/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 10:32
S81	4750	709/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 10:32

S82	12853	S79 S80 S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 10:32
S83	21	S82 and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 10:32
S84	2	"4825206".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 10:49
S85	1481	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 12:03
S86	104	S67 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 12:04
S87	127	S82 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 12:04
S88	218	S86 S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 12:04
S89	235	(topolog\$3 same (spanning adj "2" tree \$1)) and ((collected gathered determined analyzed tested) with ((network\$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 12:21
S90	151	((select\$3 choos\$3) with (node\$1 ne\$1 element\$1 router\$1 switch\$3)) and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 12:21

S91	60	(topolog\$3 same (spanning adj2 tree\$1)) and ((collected gathered determined analyzed tested) with ((network\$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 12:22
S92	300	(next adj2 (node\$1 ne element\$1 router\$1 switch\$2)) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 12:27
S93	21	S92 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 12:27
S94	17	S92 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 12:53
S95	2	"7024483".pn. and (next near2 node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:06
S98	846	370/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:18
S99	4576	370/252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:18
S100	4328	370/342.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:18
S101	715	370/345.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:18
S102	345	370/395.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:18
S103	388	370/395.31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:18

S104	3332	709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:18
S105	1455	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:18
S106	994	709/222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:18
S107	7824	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:18
S108	3480	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:19
S109	2434	709/228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:19
S110	4094	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:19
S111	672	370/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:19
S112	451	370/218.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:19
S113	277	370/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:19
S114	3480	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:19
S115	531	370/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:19
S116	2313	370/230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:20

S117	629	370/231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:20
S118	2790	370/235.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:20
S119	896	370/236.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:20
S120	104	370/236.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:20
S121	134	370/241.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:20
S122	1122	370/242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:20
S123	542	370/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:20
S124	294	370/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:20
S126	38103	S98 S99 S100 S101 S102 S103 S104 S105 S106 S107 S108 S109 S110 S111 S112 S113 S114 S115 S116 S117 S118 S119 S120 S121 S122 S123 S124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:21
S127	1481	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:21
S128	324	S126 and S127	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:22

S129	46376	(next adj2 (node\$1 ne element\$1 router\$1 switch\$2)) S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:22
S130	88	(next adj2 (node\$1 ne element\$1 router\$1 switch\$2)) and S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 13:22
S132	2	"5185860".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/19 14:35
S133	5653	((path\$1 link\$1 connection\$1) near2 topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 08:44
S138	2710	((select\$3 choos\$3) near3 (node\$1 element \$1 ne\$1 router\$1 switch \$3)) with quer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 08:55
S139	1	S133 same S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 08:55
S140	56	S133 and S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 08:55
S141	395	370/256.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 09:09
S142	16991	(discover\$3 with parent \$1 with child\$4) nad S141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 09:09
S143	4	(discover\$3 with parent \$1 with child\$4) and S141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 09:09
S144	68	(parent\$1 with child\$4) and S141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 09:11
S145	519	370/255.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 09:26
S146	619	(path\$1based link \$1based ((path\$1 link \$1) near2 based)) with topolog\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 09:27

S147	23	S145 and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/20 09:27
S148	7	"779442".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 10:08
S149	2	"4825206".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 10:43
S150	2	"5185860".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 10:44
S151	2	"5408618".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/21 10:44
S152	2	"5408618".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 12:42
S153	1	((establish\$3 updat\$4) with path\$1) and S152	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 12:42
S154	2	"6539427".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 15:26
S155	2	"7050404".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 15:57
S156	2	"6400681".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 16:07
S157	2	"5185860".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/25 16:34
S158	3	"6614765".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 09:21

S159	4696	(receiv\$3 near2 request) and (quer\$5 with (information configuration)) and (receiv\$3 with (information configuration)) and (compar\$4 with (information configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 10:17
S160	908	(routing near3 (information configuration)) and S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 10:17
S161	497	(receiv\$3 near2 request) same (quer\$5 with (information configuration)) same (receiv\$3 with (information configuration)) and (compar\$4 with (information configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 10:18
S162	119	(routing near3 (information configuration)) and S161	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 10:18
S163	49	(receiv\$3 near2 request) same (quer\$5 with (information configuration)) same (receiv\$3 with (information configuration)) same (compar\$4 with (information configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 10:18
S164	5	(routing near3 (information configuration)) and S163	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 10:18
S165	209	(network near2 manag \$5) same (path\$1based (path near2 based))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 10:31
S166	2	"4825206".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 10:37
S167	81	("4825206").URPN.	USPAT	OR	OFF	2008/08/26 10:37

S168	2	"6405250".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 11:34
S169	2646	(receiv\$3 near2 (information\$1 configuration\$1)) same (quer\$5 near2 (information\$1 configuration\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 11:37
S170	85534	(compar\$5 determin\$6 match\$3) with (configuration\$1 information\$1) with (identifier\$1 id\$1 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 11:38
S171	1761	quer\$4 with (rout\$3 near2 (information\$1 configuration\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 11:38
S172	14994	receiv\$3 with (rout\$3 near2 (information\$1 configuration\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 11:38
S173	561	S171 same S172	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 11:39
S174	105	S169 and S173	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 11:39
S175	38	S170 and S174	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 11:39
S176	2	"6282574".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 11:57
S177	2	"20060195565"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 12:14
S178	657	((service near2 request \$1) with rout\$3) and ((rout\$3 address\$3) near2 information) and ((link\$1 path\$1 connection\$1) near2 information\$1) and (id \$1 identifier\$1 address \$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 12:20

S179	62495	(quer\$5 same receiv\$3) and (match\$3 compar \$5 determin\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 12:20
S180	254	S178 and S179	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 12:20
S181	23333	match\$3 with (id\$1 identifier\$1 address\$2) with (information\$1 configuration\$1 link\$1 path\$1 connection\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 13:13
S182	212	((service near2 request \$1) with rout\$3) and S181	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 13:13
S183	14009	(connection\$1 path\$1 link\$1) near2 (setup set \$1up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 13:14
S184	26	S182 and S183	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 13:14
S185	116	(quer\$5 and receiv\$4) and S182	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 13:18
S186	34	("20010048660" "20030014516" "6011780" "6011780" "6151688" "6161193" "6205498" "6449734" "6519712" "6545981" "6625751" "6687847" "6880100" "6918051" "7047437" "7103029" "7143153").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 13:25
S187	2	"6574663".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/26 13:30

S188	31	("4644532" "5049873" "5442791" "5583991" "5586267" "5729685" "5841972" "5850397" "5884036" "6185612" "6226788" "6243746" "6286038" "6330600" "6347398" "6397381").PN. OR ("6574663").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/26 13:30
S189	18	("20020165957" "5461611" "5623481" "5805072" "5822301" "5828844" "5838660" "5909440" "5940491" "5953338" "5970232" "5995503").PN. OR ("6614765").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/26 13:40
S190	1	"5408618".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/26 14:20
S191	448	(quer\$5 near3 (routing adj2 information))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/26 14:31
S192	97776	(match\$3 compar\$3) with (address\$2 identifier\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/26 14:32
S193	80	S191 and S192	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/26 14:32

8/ 27/ 2008 11:30:44 AM

C:\Documents and Settings\rpsia\My Documents\EAST\Workspaces\10779442new.wsp